



Mark Scheme (Results)

Summer 2025

Pearson Edexcel GCSE
In Combined Science Chemistry
(1SC0) Paper 1CF

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2025

Question Paper Log Number P75512RA

Publications Code 1SC0_1CF_2506_MS

All the material in this publication is copyright

© Pearson Education Ltd 2025

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Mark schemes have been developed so that the rubrics of each mark scheme reflects the characteristics of the skills within the AO being targeted and the requirements of the command word. So for example the command word 'Explain' requires an identification of a point and then reasoning/justification of the point.

Explain questions can be asked across all AOs. The distinction comes whether the identification is via a judgment made to reach a conclusion, or, making a point through application of knowledge to reason/justify the point made through application of understanding. It is the combination and linkage of the marking points that is needed to gain full marks.

When marking questions with a 'describe' or 'explain' command word, the detailed marking guidance below should be consulted to ensure consistency of marking.

Assessment Objective		Command Word	
Strand	Element	Describe	Explain
AO1*		An answer that combines the marking points to provide a logical description	An explanation that links identification of a point with reasoning/justification(s) as required
AO2		An answer that combines the marking points to provide a logical description, showing application of knowledge and understanding	An explanation that links identification of a point (by applying knowledge) with reasoning/justification (application of understanding)
AO3	1a and 1b	An answer that combines points of interpretation/evaluation to provide a logical description	
AO3	2a and 2b		An explanation that combines identification via a judgment to reach a conclusion via justification/reasoning
AO3	3a	An answer that combines the marking points to provide a logical description of the plan/method/experiment	
AO3	3b		An explanation that combines identifying an improvement of the experimental procedure with a linked justification/reasoning

*there will be situations where an AO1 question will include elements of recall of knowledge directly from the specification (up to a maximum of 15%). These will be identified by an asterisk in the mark scheme.

Combined Science- Chemistry 1SC0_1CF

Question number	Answer	Mark
1(a)	C delivery tube is the only correct answer A, B, D are not correct because they are not the name for the labelled piece of apparatus in Figure 1	(1) A01-2

Question number	Answer	Additional guidance	Mark
1(b)	Bunsen (burner)	allow spirit burner/ gas burner ignore water bath or any non-laboratory heating methods	(1) A01-2


Question number	Answer	Additional guidance	Mark
1(c)	goes cloudy / goes milky / white precipitate	allow goes white / white liquid ignore any other observation inc. bubbles/ fizzing/ gas / colour change	(1) A02-2

Question number	Answer	Additional guidance	Mark
1(d)(i)	3.21 with or without working scores 1 (17.83 – 14.62 =) 3.21	answer must be evaluated reject -3.21 / 3.2 / 3	(1) A02-1

Question number	Answer	Additional guidance	Mark
1(d)(ii)	A description including • (re)heat (the test tube for longer) (1) • to constant mass / until mass does not change/ until bubbles stop / until results do not change (1)	allow (repeat experiment but) heat for <u>more than 5 minutes</u> (1) allow repeat <u>step 1</u> MP2 depends on MP1 allow 'until limewater no longer goes cloudy' For MP2 must give comment about mass/ gas/ results, so ignore vague statements such as 'to see if it changes'	(2) A03-3b

Total for Question 1 = 6 marks

Question number	Answer	Mark
2(a)(i)	C melting is the only correct answer A, C and D are not correct because they are names for other changes of state	(1) A01-1

Question number	Answer	Additional guidance	Mark
2(a)(ii)	B  is the only correct answer A, C and D are not the arrangement of particles in the solid state of a pure substance		(1) A01-1

Question number	Answer	Additional guidance	Mark
2(b)(i)	(Liebig) condenser	allow water condenser, condenser tube reject condensation tube	(1) A02-1

Question number	Answer	Additional guidance	Mark
2(b)(ii)	An explanation linking any two from: - thermometer (1) - to show temperature (1) - so it identifies the {fraction / substance / gas} (being condensed) (1)	allow record, find etc allow to show boiling point / 78°C / 100°C reject 'measure heat' allow so that only {one gas / ethanol} goes to condenser / both gases do not enter condenser	(2) A02-1

Question number	Answer	Additional guidance	Mark
2(c)(i)	W	reject answers with any additional letter	(1) A01-2

Question number	Answer	Additional guidance	Mark
2(c)(ii)	distance moved by dye S = 3.8 to 4.0 AND distance moved by solvent front = 6.5 (1) $R_f = \frac{3.8 \text{ to } 4.0}{6.5}$ (1) = fraction evaluated and correctly rounded to 2 dp (1)	if no working 0.58 / 0.60 / 0.62 scores 3 if no working 1.63 / 1.67 / 1.71 scores 2 allow $R_f = \frac{2.8 \text{ to } 5}{6 \text{ to } 7}$ for MP2 MP3 only scores from allowed range for MP2 or inverse 3.8 gives 0.58, 3.9 gives 0.60, 4.0 gives 0.62 ignore recurring dots if fraction inverted, can score MP1 and MP3 (3.8 gives 1.71, 3.9 gives 1.67, 4.0 gives 1.63)	(3) A03-1

Total for Question 2 = 9 marks

Question number	Answer	Additional guidance	Mark										
3(a)	<table><tr><td>phosphorus, P</td><td></td></tr><tr><td>rubidium, Rb</td><td>✓</td></tr><tr><td>rhodium, Rh</td><td>✓</td></tr><tr><td>Strontium, Sr</td><td>✓</td></tr><tr><td>Tellurium, Te</td><td></td></tr></table>	phosphorus, P		rubidium, Rb	✓	rhodium, Rh	✓	Strontium, Sr	✓	Tellurium, Te		0 or 1 tick - scores 0 2 ticks – must be both correct to score 1 3 ticks – all correct scores 2 3 ticks – two correct scores 1 3 ticks – one correct scores 0 4 ticks – must have three correct ticks to score 1 5 ticks - scores 0	(2) AO1-1
	phosphorus, P												
	rubidium, Rb	✓											
	rhodium, Rh	✓											
	Strontium, Sr	✓											
	Tellurium, Te												

Question number	Answer	Additional guidance	Mark					
3(b)(i)	<table><tr><td>metal</td></tr><tr><td>H</td></tr><tr><td>E</td></tr><tr><td>F</td></tr><tr><td>G</td></tr></table> (2)	metal	H	E	F	G	score 1 for H F E G all other combinations score 0	(2) A03-2
metal								
H								
E								
F								
G								

Question number	Answer	Mark
3(b)(ii)	B put a lighted splint into the gas – the gas ignites with a squeaky pop is the only correct answer A, C and D are not correct because they are not the test for hydrogen	(1) A01-2

Question number	Answer	Additional guidance	Mark
3(c)(i)	189 with or without working scores 2 $65 + (14 \times 2) + (16 \times 6) = (1)$ $= 189 (1)$	one error i.e incorrect Ar / one error in x2 or x3 in expression, but correctly evaluated scores 1 examples (working needed if not 189) $65 + (14 + 16) \times 2 = 125 (1)$ $65 + 14 + 6 \times 16 = 175 (1)$ $64 + (14 \times 2) + (16 \times 6) = 188 (1)$ $(65 \times 2) + (14 \times 2) + (16 \times 6) = 254 (1)$	(2) A02-1

Question number	Answer	Additional guidance	Mark
3(c)(ii)	a description including any 2 from - no change in mass / mass remains constant / (reading on) balance stays the same (1) - no {bubbles / effervescence / fizzing} (1) {metal / solid / named reactive metal} has gone (1)	allow weight for mass allow stops decreasing ignore mass has decreased allow no (more) {gas / hydrogen} allow has 'dissolved' allow <u>all of the metal</u> has reacted ignore the metal has melted	(2) A02-2

Total for Question 3 = 9 marks

Question number	Answer	Mark
4(a)(i)	B gold is the only correct answer A, C and D are incorrect because these metals are too high in reactivity to be found as the uncombined element	(1) A01-1

Question number	Answer	Additional guidance	Mark
4(a)(ii)	sodium / magnesium / aluminium / zinc	reject answer including any <u>other</u> metals allow Na / Mg / Al / Zn	(1) A01-1

Question number	Answer	Additional guidance	Mark
4(b)	40.2 / 40 with or without working scores 2 $\frac{10\ 050}{25\ 000} \times 100$ (1) = 40.2 (%) (1)	no ecf in this question 0.402 / 0.40 / 0.4 / $\frac{201}{5}$ / 59.8 scores 1 with or without working	(2) A01-1

Question number	Answer	Additional guidance	Mark
4(c)(i)	copper oxide + carbon → copper + carbon dioxide	allow $2\text{CuO} + \text{C} \rightarrow 2\text{Cu} + \text{CO}_2$ (1) incorrectly balanced equation scores 0 allow = for → ignore heat	(1) A02-1

Question number	Answer	Additional guidance	Mark
4(c)(ii)	reduction / redox	reject deoxidation	(1) A02-1

Question number	Answer	Additional guidance	Mark
4(c)(iii)	190.5 with or without working scores 2 mass = $\frac{238.5 \times 127.0}{159.0} = 190.5$ (2)	allow ECF $\frac{159.0}{127.0} = 1.25196....$ (1) [$\frac{238.5}{1.25196} = 190.5$ (2)] $\frac{238.5}{159.0} = 1.5$ (1) [$\times 127 = 190.5$ (2)] $\frac{127.0}{159.0} = 0.79874....$ (1) [$\times 238.5 = 190.5$ (2)] if fractions are evaluated they must be correctly rounded to score, but can use ECF to score MP2 e.g $127/159 = 0.799 \times 238.5 = 190.6$ (2) $127/159 = 0.798 \times 238.5 = 190.3$ (1)	(2) A02-1

Question number	Answer	Additional guidance	Mark
4(c)(iv)	so the copper oxide completely reacts / to get maximum yield (of copper)	allow so it completely reacts allow 'so all the { <u>metal/ copper</u> } is extracted' allow so that <u>all</u> of the oxygen is removed (from the copper) / so that copper oxide is fully reduced allow 'so the reaction is complete', ignore 'so there is enough carbon' reject so the carbon completely reacts	(1) A03-2

Question number	Answer	Additional guidance	Mark
4(d)	95 with or without working scores 3 volume of solution = $\frac{250}{1000} = 0.25$ (1) concentration = $\frac{23.8}{0.25}$ (1) = 95 (to 2 sig figs) (1) OR concentration = $\frac{23.8}{250}$ (1) = 0.0952 x 1000 = 95.2 (1) = 95 (to 2 sig figs) (1)	95.2 with or without working scores 2 0.095 with or without working scores 2 allow ecf for incorrect volume conversion allow correct rounding to 2 sig fig of a calculation using all the data in the question (23.8 and 250) 95.2 to any power of 10 scores 1 e.g 0.00952 / 95200 95 to any power of 10 score 2 e.g 0.95 / 9.5	(3) A02-1

Total for Question 4 = 12 marks

Question number	Answer	Additional guidance	Mark									
5(a)(i)	<table><tr><td>proton</td><td>+1 (1)</td><td>1</td></tr><tr><td>neutron</td><td>0</td><td>1 (1)</td></tr><tr><td>electron</td><td>-1 (1)</td><td>negligible</td></tr></table>	proton	+1 (1)	1	neutron	0	1 (1)	electron	-1 (1)	negligible	allow 1(+) / +, reject -1 reject +1, -1 allow (1)-, reject +1 / 1	(3) AO1-1
proton	+1 (1)	1										
neutron	0	1 (1)										
electron	-1 (1)	negligible										

Question number	Answer	Additional guidance	Mark
5(a)(ii)	A description including 10 protons (1) 10 electrons (1)	allow {'how many'/'number of'} protons allow {'how many'/'number of'} electrons / (electronic configuration) 2.8 allow 'number of protons and (number of) electrons' (2) ignore any reference to location of subatomic particles ignore neutrons	(2) AO1-1

Question number	Answer	Additional guidance	Mark
5(a)(iii)	An explanation linking <u>same number</u> of protons and electrons (1) (so) the (+ and -) <u>charges</u> cancel (1)	ignore reference to neutrons allow <u>charge</u> (on neon atom) = <u>0</u> +10 plus -10 = 0 (2)	(2) AO2-1

Question number	Indicative content	Mark
*5(b)	Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme. The indicative content below is not prescriptive, and candidates are not required to include all the material that is indicated as relevant. Additional content included in the response must be scientific and relevant. Read whole answer and ignore all incorrect material/ discard any contradictory material. Ignore irrelevant material not linked to electrons e.g metals on left, non-metals on right; change in reactivity down a group; periodic table arranged in order of atomic number; groups based on similar chemical properties Allow row for period, allow column for group. AO1 (6 marks) • number of electrons increases • from left to right / Li to Ne • down the group / Li to Na / symbols for elements in other groups • {first 2 elements / H & He} electrons in 1st shell • {elements 3-10 / Li to Ne} added electron in 2nd shell • {next 2 elements / Na & Mg} outer electrons in 3rd shell • more electrons need more electron shells • so no of shells = period number • no of electrons in outer shell = group no • examples of electronic configurations of elements	(6)

Level	Mark	Descriptor
	0	No rewardable material.
Level 1	1–2	• Demonstrates elements of chemical understanding, some of which is inaccurate. Understanding of scientific ideas lacks detail. (AO1) • Presents an explanation with some structure and coherence. (AO1)
Level 2	3–4	• Demonstrates chemical understanding, which is mostly relevant but may include some inaccuracies. Understanding of scientific ideas is not fully detailed and/or developed. (AO1) • Presents an explanation that has a structure which is mostly clear, coherent and logical. (AO1)
Level 3	5–6	• Demonstrates accurate and relevant chemical understanding throughout. Understanding of the scientific ideas is detailed and fully developed. (AO1) • Presents an explanation that has a well-developed structure which is clear, coherent and logical. (AO1)

Level	Mark	Descriptor	Additional Guidance
	0	No rewardable material.	
Level 1	1–2	Additional Guidance Describes some information about the periodic table	Possible candidate response - the atomic number gives the number of electrons (1) - the electronic configuration of magnesium is 2.8.2 (1) - the group number gives the number of electrons in the outer shell (1) - the period number gives then number of shells of electrons (1) - sodium is in group 1 because it has 1 electron in its outer shell (2) - all group 1 elements have 1 outer electron (1)
Level 2	3–4	Additional Guidance A full explanation linking group to outer electron with example AND attempt to link period to number of shells OR A full explanation linking period to number of shells with example AND attempt to link group to number of electrons in outer shell	Possible candidate response - The number of electrons in the outer shell is the group, so group 1 elements such as have 1 electron in their outer shell (3) - The number of electrons in the outer shell is the group, so lithium has 1 electron in their outer shell (3) - The number of electrons in the outer shell is the group, so group 1 elements such as have 1 electron in their outer shell and the period number is the number of shells (4) - The number of shells of electrons is the period number for example lithium is period 2 because it has 2 shells (3) - The number of shells of electrons is the period number for example period 3 elements have 3 shells (3) - The number of shells of electrons is the period number for example period 3 elements have 3 shells and the number of outer electrons gives the group number. (4)
Level 3	5–6	Additional Guidance A full explanation linking group to outer electron with example AND a full explanation linking period to number of shells with example AND example of an electronic configuration	Possible candidate response - The number of electrons in the outer shell is the group, so group 1 elements such as have 1 electron in their outer shell. The number of shells of electrons is the period number for example period 3 elements have 3 shells and the number of outer electrons (5) - The number of electrons in the outer shell is the group, so group 1 elements such as have 1 electron in their outer shell. The number of shells of electrons is the period number for example period 3 elements have 3 shells and the number of outer electrons gives the group number so the electronic configuration of potassium is 2.8.1 (6)

Total for Question 5 = 13 marks

Question number	Answer	Additional guidance	Mark
6(a)(i)	aq (1) KNO ₃ (1)	allow AQ / Aq / aQ reject aqueous allow NO ₃ K / K(NO ₃) / (NO ₃)K reject any other formula all letters must be capitals. The 3 must be a subscript.	(2) A02-1

Question number	Answer	Additional guidance	Mark
6(a)(ii)	silver chloride	reject silver chlor ine ignore solid / precipitate / ppt	(1) A02-1

Question number	Answer	Additional guidance	Mark
6(a)(iii)	An explanation including any 3 from - filtration (1) <u>pour mixture through</u> {filter funnel / filter paper} (1) {precipitate / residue / solid / AgCl} stays on the paper (1) {solution / filtrate / liquid} goes through (the paper) (1)	allow to filter (mixture) allow <u>pour mixture through</u> {filter / funnel} allow precipitate left behind (in filter / funnel) allow particles too big to go through ignore mixture goes through ignore any additional processes after filtration step if filtration occurs after any other process, e.g. heating, MP1 and MP2 do not score but MP3 and MP4 can be scored diagram can score all MPs	(3) A03-3a

Question number	Answer	Additional guidance	Mark
6(b)	A description including {silver nitrate / solution} has ions (1) {silver / solid / metal} has delocalised electrons (1) {ions / electrons} move (1)	reject silver nitrate has electrons {that move / delocalised} for MP1 allow {free / sea of} electrons reject <u>silver</u> has ions {that move / delocalised} for MP2 allow charged particles move MP3 for idea of movement of charge (even if, for example, MP1 and/or MP2 reversed or wrong)	(3) A02-1

Question number	Answer	Mark
6(c)(i)	C toxic and dangerous to the environment is the only correct answer A, B and D are not correct because they are represented by a different combination of hazard symbols	(1) A01-1

Question number	Answer	Additional guidance	Mark
6(c)(ii)	gloves / safety glasses / goggles / dispose of safely	ignore tie long hair back, wear lab coat or other normal lab practice, PPE, (face) mask, fume cupboard, use tongs, wash hands after	(1) A01-2

Total for Question 6 = 11 marks

Pearson Education Limited. Registered company number 872828
with its registered office at 80 Strand, London, WC2R 0RL, United Kingdom