



Cambridge International AS & A Level

CANDIDATE
NAMECENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

MATHEMATICS**9709/35**

Paper 3 Pure Mathematics 3

May/June 2026**1 hour 50 minutes**

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen. Do **not** use correction fluid or tape.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [].

This document has **20** pages. Any blank pages are indicated.



- 1 (a) Find the coefficient of x^2 in the expansion of $\frac{2+3x}{(2+x)^3}$. [4]

[illegible]

- (b) State the set of values of x for which the expansion is valid. [1]

[illegible]



- 2 A curve has equation $3x \ln y = x^2 - 4y^3$ for $x > 0$.

Find the gradient of the curve at the point where $y = 1$.

[4]

This image shows a full page of primary-ruled paper. It features multiple sets of horizontal dashed lines spaced evenly down the page, providing a guide for handwriting practice. The background is white, and there are no margins or other markings present.

3 The variables x and y satisfy the equation $yx^a = k$, where a and k are constants.

(a) Show that the graph of $\ln y$ against $\ln x$ is a straight line. [2]

.....

.....

.....

.....

.....

.....

.....

.....

(b) When $x = 5$, $y = 0.72$ and when $x = 2.3$, $y = 5$.

Find the values of a and k . Give your answers correct to 2 significant figures. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



4 (a) Solve the inequality $|x + 4| > |3x - 1|$.

[3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Hence, find the largest integer n for which $|3^{0.05n} + 4| > |3^{1+0.05n} - 1|$.

[2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....





5 A curve has equation $y = \frac{\sin 2x}{3 + \cos x}$ for $0 < x < \pi$.

(a) Express $\frac{dy}{dx}$ as a simplified fraction in terms of $\cos x$. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Hence, find an equation of the normal to the curve at the point where $x = \frac{1}{2}\pi$. Give your answer in an exact form. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....





- 6 A curve is such that the gradient of the curve at any point is proportional to the y -coordinate at that point. The curve passes through the points $(2, e^2)$ and $(5, e^3)$.

Form and solve a differential equation to find y in terms of x .

[7]

[illegible]



- 7 It is given that $\frac{2+ai}{a-3i} = \lambda(1-5i)$, where a and λ are real constants.

(a) Show that $a^2 - 5a + 6 = 0$.

[4]

[illegible]



(b) Hence, find the possible values of a and the corresponding values of λ .

[3]

This image shows a full page of white paper with horizontal dashed lines, typical of primary school writing paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



- 8 (a) By sketching a suitable pair of graphs, show that the equation $\sec\left(\frac{1}{3}x\right) = 3e^{-x}$ has exactly one root in the interval $0 < x < \pi$. [2]

- (b) The root is denoted by α . Show that $1 < \alpha < 1.1$. [2]

[illegible]



$$x_{n+1} = \ln\left(3 \cos\left(\frac{1}{3}x_n\right)\right)$$

converges, then it converges to α .

[2]

- (d) Use this iterative formula, with initial value $x_1 = 1$, to calculate α correct to 3 decimal places. Give the result of each iteration to 5 decimal places.

[3]





- 9 (a) Express $5 \cos \theta - 3 \sin \theta$ in the form $R \cos(\theta + \alpha)$, where $R > 0$ and $0 < \alpha < \frac{1}{2}\pi$. State the exact value of R , and give the value of α in the form $\tan^{-1}(p)$, where p is a rational number. [3]

This image shows a full page of white paper with horizontal dashed lines, typical of primary school handwriting practice paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



[4]

$$\int_0^{\alpha} \frac{68}{(5 \cos \theta - 3 \sin \theta)^2} d\theta = \frac{51}{20}.$$

[4]

This image shows a full page of white paper with horizontal dashed lines, typical of primary school writing paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



10 (a) Use the substitution $x = 2 \sin u$ to show that

$$\int_0^1 \frac{3x^3}{\sqrt{4-x^2}} dx = \int_a^b 24 \sin^3 u \, du,$$

where a and b are exact values to be found.

[4]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN





(b) Hence, find the exact value of $\int_0^1 \frac{3x^3}{\sqrt{4-x^2}} dx$.

[4]

This image shows a full page of white paper with horizontal dashed lines, typical of primary school handwriting practice paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



11 Relative to a fixed point, O , the points A , B , C and D have position vectors

$$\overrightarrow{OA} = \begin{pmatrix} 2 \\ 3 \\ 5 \end{pmatrix}, \quad \overrightarrow{OB} = \begin{pmatrix} 3 \\ 1 \\ 4 \end{pmatrix}, \quad \overrightarrow{OC} = \begin{pmatrix} -1 \\ 0 \\ -1 \end{pmatrix} \quad \text{and} \quad \overrightarrow{OD} = \begin{pmatrix} -3 \\ 4 \\ 1 \end{pmatrix}.$$

(a) Show that $ABCD$ is a trapezium, and **not** a parallelogram. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Show that the distance from A to the line through C and D is $\frac{9}{2}\sqrt{2}$. [5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....





.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(c) Find the exact area of $ABCD$. Give your answer in simplified form. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....





If you use the following page to complete the answer to any question, the question number must be clearly shown.

This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice. There are no margins, text, or other markings on the page.